

# Explo 9

Explo No.9

August, 2002

## **10 GANG XP RECEPTACLE EXPLOSIONPROOF STAR☆LINE**

3M Company and Vantage Technology created the first 10 gang receptacle for Class I, Division 1, Groups C-D hazardous areas. V-70276-D1-10G combines the following Star☆Line connectors in a unique enclosure installed at 3M's Hutchinson, Minnesota facility.

Power	...	30 amp for 480 Vac service
Control	...	10 and 19 pin for 120 Vac service

Color coded connectors were selected to insure power / control connector assignment.

Victory Series receptacles are designed to thread into 1.5 inch NPT openings.

GD-B1916-23SL-L36	AF-B1916-682SL-L36
AF-B1916-676SL-L36	AF-B1916-612SL-L36

Factory sealed receptacles, a standard at Vantage, eliminate the need for external seals.

Cable assemblies, quality tested by Vantage, reduce the total installed cost.


**FOR SAFETY AND PERFORMANCE IN HAZARDOUS AREAS,  
THINK VANTAGE EXPLOSIONPROOF CONNECTORS.**

**Visit the Vantage web site at [vantagexp.com](http://vantagexp.com)**






**VANTAGE TECHNOLOGY 4675 SO. WINDERMERE ST., ENGLEWOOD, CO 80110 303.761.2121**

# 3M Company Hutchinson, Minnesota



10 Gang Receptacle  
Class I, Division 1, Groups C-D  
Junction Box: 12" Wide x 24" High x 8" Deep





UL & CSA Listed XP junction box (12”w x 24”h x 8”d)  
with “user friendly” wiring space.

